


MURATA Microwave Probes and Connectors



RoHS Compliant This product is RoHS compliant.

DIMENSIONS: mm



MICROWAVE TEST PROBES

RoHS Compliant

For quantities greater than listed, call for quote.

MOUSER STOCK NO.	Murata Part No.	Fig.	Description	Price Each			
				1	5	10	25
81-MM126036	MM126036	A	Measurement Probe for MM8430-2610 & MM8430-2600	125.00	122.00	119.80	115.88
81-MXGS83RK3000	MXGS83RK3000	B	Measurement Probe for MM8430-2610 & MM8430-2600	139.76	133.00	128.50	123.80
81-MXHS83QE3000	MXHS83QE3000	C	Measurement Probe for MM8430-2610 & MM8430-2600	54.17	51.50	51.16	50.00
81-MXHS83QH3000	MXHS83QH3000	D	Measurement Probe for MM8430-2610 & MM8430-2600	104.09	86.75	74.35	65.06
81-MXHT83QE3000	MXHT83QE3000	E	Measurement Probe for MM8430-2610 & MM8430-2600	62.70	61.20	60.20	57.90
81-MXHT83QH3000	MXHT83QH3000	F	Measurement Probe for MM8430-2610 & MM8430-2600	104.09	86.75	74.35	65.06
81-MM121490	MM121490	G	Measurement Probe For MM4829-2702	89.57	87.75	86.00	82.68
81-MM121470	MM121470	H	Measurement Probe For MM9329-2700	77.70	76.12	74.60	71.73
81-MM121480	MM121480	I	Measurement Probe For MM9329-2700 (Cable Type)	219.60	109.80	94.11	82.35

DISENGAGEMENT TOOLS

RoHS Compliant

For quantities greater than listed, call for quote.

MOUSER STOCK NO.	Murata Part No.	Fig.	Description	Price Each			
				1	5	10	25
81-M22001	M22001	J	Disengagement Tool For MM121470	216.51	173.21	144.34	123.72
81-M19100	M19100	K	Disengagement Tool For MM121490	133.01	106.41	96.73	87.94

MICROWAVE TEST CONNECTORS

RoHS Compliant

For quantities greater than listed, call for quote.

MOUSER STOCK NO.	Murata Part No.	Fig.	Description	Contact Resistance	VSWR	Durability (Cycles)	Impedance	Rated Voltage	Frequency Rating Max.	Price Each			
										1	25	100	1000
81-MM4829-2702RA4	MM4829-2702RA4	L	SMD Coaxial Connector	0.02	1.3	30	50Ω	250VDC	6.0GHz	.44	.407	.356	.326
81-MM8430-2610RA1	MM8430-2610RA1	M	SMD Coaxial Connector with Switch	0.05	1.2	500	50Ω	250VDC	6.0GHz	1.15	.82	.705	.368
81-MM9329-2700RA1	MM9329-2700RA1	N	SMD Coaxial Connector	0.015	1.2	30	50Ω	250VDC	6.0GHz	.83	.719	.645	.528